
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

					DIVISION O		GAS AND MI				AMEND	ED REPOR	RT		
APPLICATION FOR PERMIT TO DRILL									1. WELL NAME and NUMBER Ute Tribal 9-8-4-1E						
2. TYPE OF WORK DRILL NEW WELL REENTER P&A WELL DEEPEN WELL							3. FIELD OR WILDCAT WINDY RIDGE								
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO								5. UNIT or COMMUNITIZATION AGREEMENT NAME							
6. NAME OF OPERATOR NEWFIELD PRODUCTION COMPANY									7. OPERATOR PHONE 435 646-4825						
8. ADDRESS OF OPERATOR Rt 3 Box 3630 , Myton, UT, 84052								9. OPERATOR E-MAIL mcrozier@newfield.com							
	AL LEASE NUM		N 3 BOX 300		. MINERAL OWNERSHIP				12. SURFACE OWNERSHIP						
(FEDERAL	, INDIAN, OR S	TATE) 2OG0005609			FEDERAL INDIAN STATE FEE				FEDERAL INDIAN STATE FEE						
13. NAME OF SURFACE OWNER (if box 12 = 'fee') Coleman Brothers LTD					ers LTD	LTD				14. SURFACE OWNER PHONE (if box 12 = 'fee')					
15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee') PO Box 610, ,								16. SURFACE OWNER E-MAIL (if box 12 = 'fee')							
	N ALLOTTEE OI = 'INDIAN')	R TRIBE NAME			B. INTEND TO COMMINGLE PRODUCTION FROM ULTIPLE FORMATIONS					19. SLANT					
(II DOX 12	= INDIAN)				YES (Submit Commingling Application) NO)	VERTICAL DIRECTIONAL HORIZONTAL					
20. LOCA	TION OF WELL			FOOT	TAGES QT		TR-QTR	-QTR SECTION		TOWNSHIP	RA	NGE	МЕ	RIDIAN	
LOCATIO	N AT SURFACE			654 FSL	606 FWL SWS		swsw	9		4.0 S	1.0 E		U		
Top of Uppermost Producing Zone 1961 FSL				961 FSL	666 FEL	FEL NESE		8		4.0 S	1.0) E	U		
At Total	Depth		1	961 FSL	666 FEL	EL NESE		8		4.0 S	1.0 E			U	
21. COUN	TY	UINTAH		22	22. DISTANCE TO NEAREST LEASE LINE (Feet) 666					23. NUMBER OF ACRES IN DRILLING UNIT 40					
					5. DISTANCE TO NEAREST WELL IN SAME POOL Applied For Drilling or Completed) 1309					26. PROPOSED DEPTH MD: 7844 TVD: 7600					
27. ELEVATION - GROUND LEVEL 28.				B. BOND NUMBER RLB0010462					29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 437478						
					Hole, Casing,	, and C	Cement Info	rmation							
String	Hole Size	Casing Size	Length	Weigh			Max Mu			Cement		Sacks	Yield	Weight	
Surf	12.25	8.625	0 - 500	24.0			8.3			Class G mium Lite High Strength		229	1.17	15.8	
Prod	7.875	5.5	0 - 7844	15.5	5 J-55 LT8	xC	8.3	<u>'</u>	Pien	50/50 Poz	gin	363	3.26 1.24	11.0	
										13321.32					
					Α	HACE	HMENTS								
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES															
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER						COMPLETE DRILLING PLAN									
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)						FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER									
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED))	TOPOGRAPHICAL MAP									
NAME Mandie Crozier TITLE Regulatory To					Tech	PHO			ONE 435 646-4825						
SIGNATURE				DATE 05/20/2013			ЕМА	EMAIL mcrozier@newfield.com							
API NUMBER ASSIGNED 43047537680000				APPROVAL			J	Basyill							
					Permit Manager										

T4S, R1E, U.S.B.&M.



♦

= SECTION CORNERS LOCATED

BASIS OF ELEV; Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57' NAD 83 (SURFACE LOCATION)

LATITUDE = 40'08'38.73"

LONGITUDE = 109'53'42.21"

NAD 27 (SURFACE LOCATION)

LATITUDE = 40'08'38.87"

LONGITUDE = 109'53'39.69"


NEWFIELD EXPLORATION COMPANY

WELL LOCATION, 9-8-4-1E, LOCATED AS SHOWN IN THE SW 1/4 SW 1/4 OF SECTION 9, T4S, R1E, U.S.B.&M. UINTAH COUNTY, UTAH.



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.




TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. – VERNAL, UTAH 84078 (435) 781–2501

DATE SURVEYED: 03-19-13	SURVEYED BY: S.H.	VERSION:
DATE DRAWN: 04-01-13	DRAWN BY: V.H.	\/7
REVISED:	SCALE: 1" = 1000'	٧٥

T4S, R1E, U.S.B.&M.




= SECTION CORNERS LOCATED

BASIS OF ELEV; Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57'

NAD 83 (BOTTOM HOLE LOCATION) LATITUDE = 40'08'51.65" LONGITUDE = 109'53'58.49" NAD 27 (BOTTOM HOLE LOCATION) LATITUDE = 40'08'51.79" LONGITUDE = 109'53'55.96"

NEWFIELD EXPLORATION COMPANY

TARGET BOTTOM HOLE, 9-8-4-1E, LOCATED AS SHOWN IN THE NE 1/4 SE 1/4 OF SECTION 8, T4S, R1E, U.S.B.&M. UINTAH COUNTY, UTAH.



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. – VERNAL, UTAH 84078 (435) 781–2501

DATE SURVEYED: 03-19-13	SURVEYED BY: S.H.	VERSION:
DATE DRAWN: 04-01-13	DRAWN BY: V.H.	\/7
REVISED:	SCALE: 1" = 1000'	VJ